ENGLISH

GRIZZLY 600 R - GRIZZLY 700 R

Circular Saw

GRIZZLY 600 R
GRIZZLY 700 R




Sliding table

Electric motor

CIRCULAR SAW

made in Italy



CUTTING CAPACITY

Circular blade diameter / Wood diameter

GRIZZLY 600 R



Diameter Circular blade

Ø 600

Version

Electric motor

Single-phase 220V
2,2 kW (3 HP)



Cutting capacity

Half wood

Ø 350



Full wood

Ø 195



GRIZZLY 700 R



Diameter Circular blade

Ø 700

Version

Electric motor

Three-phase 380V
3kW (4 HP)



Cutting capacity

Half wood

Ø 400



Full wood

Ø 245



Professional and safe circular saw


Grizzly R is an impressive circular saw with a trestle designed to cut large quantities of firewood safely and effortlessly. With its large tilting compartment and fixing teeth, you will no longer have to worry about anything as you advance and saw logs of wood with precision and ease.
Available in two variants, Grizzly 600 R and Grizzly 700 R, this circular saw can be equipped with a 600 mm or 700 mm blade, depending on your cutting needs. Furthermore, on both models it is possible to mount a normal blade or a circular widia blade, to adapt to the different types of wood and obtain optimal results.
This model, like all Rosselli models, has approval and complies with the CE regulations on the circular saw sector.
The three special transmission belts give excellent performance on cutting capacity with minimum effort, giving the saw the ability to cut any type of firewood.
Experience the efficiency, power and adaptability of the Grizzly R table saw and take your firewood cutting to the next level.
The circular saw includes a transport handle to move it from the tractor to the shed and includes a key to unscrew the circular blade for its replacement.

The differences between version 600 and version 700



GRIZZLY 600 R

Ø 600









GRIZZLY 700 R

Ø 700





FEATURES



HOOK TO SUPPORT THE PTO SHAFT DURING STALLING

KEY TO UNSCREW THE CIRCULAR BLADE

EMERGENCY LEVER TO BRAKING THE SAW BLADE IN CASE OF EMERGENCY

SIDE TABLE OF FOLDING EXTENSION

THREE SPECIAL TRANSMISSION BELTS

EXTRACTABLE AND ADJUSTABLE HANDLE FOR TRANSPORT

BLOCCAGGIO DEL VANO BASCULANTE PER IL TRASPORTO

SPECIAL PREDISPOSITION FOR THE EXPULSION OF WOOD SHAVINGS WITH GRID

HOOK WITH STOP FOR LOCKING SYSTEM OF THE WOOD IN THE DECROCHAGE PHASE

EMERGENCY BRAKE



In case of emergency and danger, the brake must be activated and the circular blade will stop in the seconds required by law.


The lever must be armed (raised) before rotating the cardan and lowered when the circular saw is at rest. This device makes the Grizzly R very safe and away from danger.

OPTIONAL



OPTIONAL

SPECIAL ELECTRIC EXTENSION



OPTIONAL

DOUBLE TABLE - RIGHT

ENGLISH

IMAGES

View pictures of the saw in action








PROTEZIONE AGEVOLATO





Nuovo copertura di sicurezza che con un sistema di leve che agevola l'apertura e la chiusura della protezione senza la minima fatica. Inoltre il tavolo basculante non avanza se la protezione non è completamente abbassata, rendendolo completamento sicuro e pratico.

Which circular blade to choose?



NV



KV



WIDIA

Model	Diameter Blade	Max Dimensions	Cutting depth	Working Table		Supply	Weight
	mm	LxBxA - mm	mm		mm		Kg
GRIZZLY 600 R	Ø 600	1570x850x1260	220	SwingingTable	850x265	PTO SHAFT/ CARDAN Three-point Linkage -Rear	140
GRIZZLY 700 R	Ø 700	1570x850x1260	260	SwingingTable	850x370	PTO SHAFT/ CARDAN Three-point Linkage -Rear	145

Qrcode of the product

SCAN ME

Rosselli Snc
Via Boccaccio, 2
42024 Castelnovo di Sotto (RE) - ITALY
www.rossellisnc.com
info@rossellisnc.com
TEL +39(0)522682184

www.pinterest.com/rossellisnc
www.twitter.com/Rossellisnc
www.facebook.com/rosselli.snc
www.youtube.com/@rosselli-channel

rosselli